

## WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Sunday, November 27, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L5	l1 and l3 and applet	26
<input type="checkbox"/>	L4	l2 and L3	19
<input type="checkbox"/>	L3	(709/233 or 709/232 or 709/231 or 709/228 or 725/105).ccls.	4656
<input type="checkbox"/>	L2	L1[ti,ab]	178
<input type="checkbox"/>	L1	((client\$ or customer\$ or user\$ or viewer or gui) near4 (capabilit\$ or profil\$ or tailor\$ or personaliz\$ or personalis\$)) near12 (multimedia or (multi media) or video\$ or stream\$ or a/v)	2754

END OF SEARCH HISTORY

Help us improve CiteSeer. [Take a survey](#)

**Data Filter Architecture Pattern Robert Flanders and Eduardo B. Fernandez** ([Make Corrections](#))

Dept. of Computer Science and Eng., Florida Atlantic University  
Boca Raton,...

View or download:

[uiuc.edu/~plop/plop99/p...Flanders3.PDF](#)

Cached: [PDF](#) [PS.gz](#) [PS](#) [Image](#) [Update](#) [Help](#)



[Home/Search](#) [Bookmark](#) [Context](#) [Related](#)

From: [uiuc.edu/~plop/plop99/proceedi...](#)  
([more](#))

([Enter author homepages](#))

([Enter summary](#))

Rate this article: 1 2 3 4 5 (best)

[Comment on this article](#)

**Abstract:** Given the potentially enormous amount and variety of data available in the Internet and other systems, it becomes necessary to filter out part of it for institutional or legislative reasons. We present a filtering architecture that can apply different filtering policies. ([Update](#))

Active bibliography (related documents): [More](#) [All](#)

**0.5:** The Authenticator Pattern - Lee Brown Jr (1999) ([Correct](#))

**0.3:** Dynamic Objects - Support for Software Evolution in.. - Geihs, Gründer (1998) ([Correct](#))

**0.3:** Distributed objects in a commercial Web environment - John Lambert And ([Correct](#))

Similar documents based on text: [More](#) [All](#)

**0.3:** Coordination of Security Levels for Internet Architectures - Eduardo Fernandez Dept (1999) ([Correct](#))

**0.3:** Metadata and Authorization Patterns - Eduardo Fernandez Dept (2000) ([Correct](#))

**0.3:** A History-Dependent Access Control Mechanism Using Reflection - Ancona, Cazzola, Fernandez (1999) ([Correct](#))

BibTeX entry: ([Update](#))

```
@misc{ computer-data,
  author = "Dept Of Computer",
  title = "Data Filter Architecture Pattern Robert Flanders and Eduardo B. Fernandez",
  url = "citeseer.ist.psu.edu/702653.html" }
```

Citations (may not include all citations):

2040 Design Patterns: Elements of Reusable Object-Oriented Softwa.. (context) - Gamma, Helm et al. - 1994

40 CORBA Distributed Objects Using Orbix (context) - Baker - 1994

5 The Authenticator pattern - Brown, DiVietri et al.

3 and the Object Web (context) - Orfali, Harkey et al. - 1997

2 Chapter 13 in Paltern Languages of Program Design (context) - Neves, Garrido - 1998

1 Douglas: Real-Time UML Developing Efficient Objects for Embe.. (context) - Bruce - 1998

Documents on the same site (<http://jerry.cs.uiuc.edu/~plop/plop99/proceedings/>): [More](#)

Extension and Java Implementation of the.. - Delarue, Fernandez (1999) ([Correct](#))

CompositeCalls: A Design Pattern for Efficient and .. - Patino-Martinez.. (1999) ([Correct](#))

Deconstructing the Domain: A Pattern Language for Handling Large.. - Evans (1999) ([Correct](#))

[Online articles have much greater impact](#) [More about CiteSeer.IST](#) [Add search form to your site](#) [Submit documents](#) [Feedback](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Help us improve CiteSeer. [Take a survey](#)



Find:

[Documents](#)

[Citations](#)

Searching for **stream and tailor and applet**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)

[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

Order: number of citations.

[Data Filter Architecture Pattern Robert Flanders and Eduardo ... - Dept Of Computer](#) (Correct)

or format transformation to generate a modified **stream**. The Distributed Data Filter allows the active the active content provider data source to be **tailored** to a particular client's specification without the Client Web Tier of Objects that runs as a Java **Applet** and downloadable E-commerce Web based Application

[jerry.cs.uiuc.edu/~plop/plop99/proceedings/Fernandez5/Flanders3.PDF](http://jerry.cs.uiuc.edu/~plop/plop99/proceedings/Fernandez5/Flanders3.PDF)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Help us improve CiteSeer. [Take a survey](#)



Find:

[Documents](#)

[Citations](#)

Searching for **stream and capability and applet**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)

[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

20 documents found. Order: number of citations.

[Active Query Caching for Database Web Servers - Luo, Krishnamurthy, Li, Cao.. \(1999\) \(Correct\) \(12 citations\)](#)

hot books in a day's sale. Finally, a common query **stream** pattern of individual users is refinement. that, if the proxy itself has a query execution **capability**, it can not only answer queries that it has by having the server send the proxy a query **applet** that implements a simple query processor. Proxies  
www.cs.wisc.edu/~qiongluo/misc/w9active.ps

[Active Information Gathering in InfoSleuth - Nodine, Fowler, Ksiezyk, Perry... \(1999\) \(Correct\) \(11 citations\)](#)

analysis, and trend discovery in complex event **streams**. It has been used in numerous applications, with agents providing services, and this **capability** is used to dynamically identify and compose Information Services Advertise Request Publish **Applet** Request Subscribe Response Mobile Text, Images,  
www.mcc.com/infosleuth/staff/nodine/.Papers/ijcis2000.ps

[virtual reality transfer protocol \(vrtp\) Design Rationale - Don Brutzman Mike \(1997\) \(Correct\) \(3 citations\)](#)

are also needed examples include multicast **streaming** of real-time audio, video and entity behavior and Exploiting Reality. Multicast is a crucial **capability** for scaling up network capabilities. Multicast  
2. Example Data Flow From Dis Espdus Through Java **Applet** To Vrmf Scene. Typically Required For Pdu  
www.web3d.org/WorkingGroups/vrtp/docs/vrtp\_design.pdf

[Web-Based Remote Rendering with IBRAC \(Image-Based Rendering.. - Yoon, al. \(2000\) \(Correct\) \(1 citation\)](#)

on the client side decodes the compressed data **stream** for display. Yoon and Neumann /IBRAC The time, not a function of client's rendering **capability** or model data size. The remainder of this paper Compression 3D model Images Images GUI (JAVA **applet**) Fig 1. IBRAC Remote Rendering System. The  
www.usc.edu/dept/CGIT/papers/eg\_cmr.pdf

[An Advanced Signal Processing Toolkit - For Java Applications \(Correct\)](#)

The remote reference layer (RRL) provides the data **stream** to stubs and skeletons, and it deals with the ABSTRACT This paper examines the **capability**, performance, and relevance of a signal Method Invocation (RMI) a spectral estimation **applet** has been created in the Java environment. This  
www.verarisoft.com/publications/files/pppj03\_69.pdf

[Monitoring the News: a TDT demonstration system - David Frey Rahul \(Correct\)](#)

technology. The demonstration system monitors a **stream** of news stories, organizes them into clusters cluster of stories could be used to improve this **capability**. In addition to the ranked list of topics, the a Java client that can run as an application or an **applet**. Lighthouse uses http protocols to send queries  
acl.ldc.upenn.edu/H/H01/H01-1053.pdf

[Surfing The Web On Tv: The Mhp Approach 1 - Alberto Gil Jos \(2002\) \(Correct\)](#)

etc. Broadcasting of a digital transport **stream** permits operators to mix traditional audio-visual (limited to content reproduction) with computing **capability** to run multimedia software integrating richer access to the internal data structures, **applets**, cookies, plugins, Flash animations, etc. Here,  
www-gris.det.uvigo.es/GRIS/INVESTIGACION/PUBLICACIONES/TVDI/2002ICME/icme02\_tv-internet.pdf

[Internet-Tv Convergence In Dvb-Mhp - Alberto Gil Jos \(2002\) \(Correct\)](#)

etc. Broadcasting of a digital transport **stream** permits operators to mix traditional (limited to content reproduction) with computing **capability** to run multimedia software integrating richer access to the internal data structures, **applets**, cookies, plugins, Flash animations, etc. Here,  
www-gris.det.uvigo.es/GRIS/INVESTIGACION/PUBLICACIONES/TVDI/2002VIPROM/viprom02\_tv-internet.pdf

[Integrating Mobile Agent Infrastructures with.. - Bellavista.. \(Correct\)](#)

on the end-systems that request a multimedia **stream**. In addition, MADAMA uses mobile agents to path. On the other hand, CORBA can enhance the **capability** of mobile agents to be accessed by any CORBA MADAMA is accessible either via CORBA client Web **applets** or via proprietary clients that can be  
servgest.grid.unina.it/individual/cotroneo/pdp00.pdf

Help us improve CiteSeer. [Take a survey](#)



Find:

Searching for **stream and capability and applet**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)

[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

20 documents found. **Order: number of citations.**

[Active Query Caching for Database Web Servers - Luo, Krishnamurthy, Li, Cao.. \(1999\) \(Correct\) \(12 citations\)](#)  
hot books in a day's sale. Finally, a common query **stream** pattern of individual users is refinement.  
that, if the proxy itself has a query execution **capability**, it can not only answer queries that it has  
by having the server send the proxy a query **applet** that implements a simple query processor. Proxies  
[www.cs.wisc.edu/~qiongluo/misc/w9active.ps](http://www.cs.wisc.edu/~qiongluo/misc/w9active.ps)

[Active Information Gathering in InfoSleuth - Nodine, Fowler, Ksiezyk, Perry, .. \(1999\) \(Correct\) \(11 citations\)](#)  
analysis, and trend discovery in complex event **streams**. It has been used in numerous applications,  
with agents providing services, and this **capability** is used to dynamically identify and compose  
Information Services Advertise Request Publish **Applet** Request Subscribe Response Mobile Text, Images,  
[www.mcc.com/infosleuth/staff/nodine/.Papers/ijcis2000.ps](http://www.mcc.com/infosleuth/staff/nodine/.Papers/ijcis2000.ps)

[virtual reality transfer protocol \(vrtp\) Design Rationale - Don Brutzman Mike \(1997\) \(Correct\) \(3 citations\)](#)  
are also needed examples include multicast **streaming** of real-time audio, video and entity behavior  
and Exploiting Reality. Multicast is a crucial **capability** for scaling up network capabilities. Multicast  
2. Example Data Flow From Dis Espdus Through Java **Applet** To Vrmf Scene. Typically Required For Pdu  
[www.web3d.org/WorkingGroups/vrtp/docs/vrtp\\_design.pdf](http://www.web3d.org/WorkingGroups/vrtp/docs/vrtp_design.pdf)

[Web-Based Remote Rendering with IBRAC \(Image-Based Rendering.. - Yoon, al. \(2000\) \(Correct\) \(1 citation\)](#)  
on the client side decodes the compressed data **stream** for display. Yoon and Neumann /IBRAC The  
time, not a function of client's rendering **capability** or model data size. The remainder of this paper  
Compression 3D model Images Images GUI (JAVA **applet**) Fig 1. IBRAC Remote Rendering System. The  
[www.usc.edu/dept/CGIT/papers/eg\\_cmr.pdf](http://www.usc.edu/dept/CGIT/papers/eg_cmr.pdf)

[An Advanced Signal Processing Toolkit - For Java Applications \(Correct\)](#)  
The remote reference layer (RRL) provides the data **stream** to stubs and skeletons, and it deals with the  
ABSTRACT This paper examines the **capability**, performance, and relevance of a signal  
Method Invocation (RMI) a spectral estimation **applet** has been created in the Java environment. This  
[www.verarisoft.com/publications/files/pppj03\\_69.pdf](http://www.verarisoft.com/publications/files/pppj03_69.pdf)

[Monitoring the News: a TDT demonstration system - David Frey Rahul \(Correct\)](#)  
technology. The demonstration system monitors a **stream** of news stories, organizes them into clusters  
cluster of stories could be used to improve this **capability**. In addition to the ranked list of topics, the  
a Java client that can run as an application or an **applet**. Lighthouse uses http protocols to send queries  
[acl.idc.upenn.edu/H/H01/H01-1053.pdf](http://acl.idc.upenn.edu/H/H01/H01-1053.pdf)

[Surfing The Web On Tv: The Mhp Approach 1 - Alberto Gil Jos \(2002\) \(Correct\)](#)  
etc. Broadcasting of a digital transport **stream** permits operators to mix traditional audio-visual  
(limited to content reproduction) with computing **capability** to run multimedia software integrating richer  
access to the internal data structures, **applets**, cookies, plugins, Flash animations, etc. Here,  
[www-gris.det.uvigo.es/GRIS/INVESTIGACION/PUBLICACIONES/TVDI/2002ICME/icme02\\_tv-internet.pdf](http://www-gris.det.uvigo.es/GRIS/INVESTIGACION/PUBLICACIONES/TVDI/2002ICME/icme02_tv-internet.pdf)

[Internet-Tv Convergence In Dvb-Mhp - Alberto Gil Jos \(2002\) \(Correct\)](#)  
etc. Broadcasting of a digital transport **stream** permits operators to mix traditional  
(limited to content reproduction) with computing **capability** to run multimedia software integrating richer  
access to the internal data structures, **applets**, cookies, plugins, Flash animations, etc. Here,  
[www-gris.det.uvigo.es/GRIS/INVESTIGACION/PUBLICACIONES/TVDI/2002VIPROM/viprom02\\_tv-internet.pdf](http://www-gris.det.uvigo.es/GRIS/INVESTIGACION/PUBLICACIONES/TVDI/2002VIPROM/viprom02_tv-internet.pdf)

[Integrating Mobile Agent Infrastructures with.. - Bellavista.. \(Correct\)](#)  
on the end-systems that request a multimedia **stream**. In addition, MADAMA uses mobile agents to  
path. On the other hand, CORBA can enhance the **capability** of mobile agents to be accessed by any CORBA  
MADAMA is accessible either via CORBA client Web **applets** or via proprietary clients that can be  
[servgest.grid.unina.it/individual/cotroneo/pdp00.pdf](http://servgest.grid.unina.it/individual/cotroneo/pdp00.pdf)



stream and personalize and applet

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar

Results 1 - 10 of about 130 for **stream and personalize and applet**. (0.07 seconds)

### Three semesters of CSO using Java: assignments and experiences

E Odekirk, D Jones, P Jensen - Proceedings of the 5th annual SIGCSE/SIGCUE ITiCSEconference ..., 2000 - portal.acm.org

... Whereas a C or C++ course would cover **stream** I/O early in the course to facilitate user interaction, we chose ... Eliza: **Personalize** an **applet** (called Frasier ...

Cited by 1 - [Web Search](#) - [portal.acm.org](#)

### iMobile: a proxy-based platform for mobile services

HCH Rao, DF Chang, YF Chen, MF Chen - Wireless Mobile Internet, 2001 - portal.acm.org

... above: a devlet sends a character **stream**, interpreted as ... service request to the right **applet** or infolet. ... iMobile users only and Co) to **personalize** a service ...

Cited by 20 - [Web Search](#) - [crewman.uta.edu](#) - [cse.ohio-state.edu](#) - [akpublic.research.att.com](#) - [all 10 versions »](#)

### SIM-IP card benefits for a profitable business model in emerging VoIP technologies

P Urien, A Tizraoui, M Loutrel - Proceeding eSmart, 2002 - infres.enst.fr

... that will be used to ensure multimedia **stream** privacy and ... SIM modules are used to **personalize** and to ... insertion, selects a particular java **applet** (JTEST), and ...

Cited by 1 - [View as HTML](#) - [Web Search](#)

### Annotation-based Web Communications Systems: A Review

NST Chong - cms.hq.unu.edu

... explicitly consent to trust a signed **applet**, which makes ... code modules to tailor, customize, **personalize**, or otherwise ... data as they flow along the HTTP **stream**. ...

[View as HTML](#) - [Web Search](#)

### Personalized multimedia services using a mobile service platform

YF Chen, H Huang, R Jana, S John, S Jora, A ... - Proceedings of the IEEE Wireless Communications Networking ..., 2002 - ieeexplore.ieee.org

... An example **applet** that delivers local weather report might use ... users only, and (b) to **personalize** a service ... setup, control and delivery of the media **stream**. ...

Cited by 10 - [Web Search](#) - [research.att.com](#) - [akpublic.research.att.com](#) - [research.att.com](#) - [all 7 versions »](#)

### Applying Caching Techniques for Dynamic Personalized Content in Software Engineering Projects

DE Athey, JR Albrecht - ideal.cecs.missouri.edu

... The servlet uses both IDs to **personalize** the image ... No Cache **Applet** - Servlet No Cache **Applet** - Servlet Cache ... have transitioned into the main **stream** curriculum. ...

[View as HTML](#) - [Web Search](#)

### Virtual Talking Heads for Tele-Education Applications

C Bonamico, F Lavagetto - Proceedings of the SSGRR2001 International Conference on ... - dsp.dist.unige.it

... fly to present new content, or to **personalize** the lesson ... that are then synchronized with the audio **stream**[19 ... W Interactive Webface Java **Applet** 150 kB Y geometr. ...

Cited by 1 - [View as HTML](#) - [Web Search](#) - [www-dsp.com.dist.unige.it](#)

### On Web Annotations: Promises and Pitfalls of Current Web Infrastructure

V Vasudevan, M Palmer - HICSS, 1999 - ieeexplore.ieee.org

... group based filtering is used to **personalize** the annotated ... The composer **applet** occupies a second browser ... The Strand (**Stream** Transducer Daemon) intermediary was ...

Cited by 33 - [Web Search](#) - [doi.ieeecomputersociety.org](#) - [doi.ieeeecs.org](#) - [csdl.computer.org](#) - [all 8 versions »](#)